



# System 2

## DRAWINGS

- 1: PANEL & CLIP PROFILE
- 2: LOCKING EAVE FLASHING
- 3: LOCKING EAVE FLASHING
- 4: HI— EAVE FLASHING
- 5: RAKE — GABLE FLASHING
- 6: RIDGE — HIP COVER
- 7: VENTED RIDGE
- 8: FLOATING VALLEY
- 9: PITCHBREAK FLASHING
- 10: ROOF TO WALL FLASHING





NOTE: STANDARD PROFILE IS WITH STRIATIONS




SUBJECT: PANEL & CLIP PROFILE

**System 2**

DATE: 8-28-00

REV: 2-1-06

DRAWING  
NO.  
**1**



SUBJECT: LOCKING EAVE FLASHING

**System 2**

DATE: 8-28-00

REV: 2-1-06


DRAWING  
NO.  
**2**

EAVE FLASHING. SEE  
DETAIL BELOW FOR  
CAULKING PATTERN

FIELD NOTCH 1"  
MIN. AND HEM  
UNDER

CLEAT IF EAVE FLASHING  
FACE IS MORE THAN 3" OR  
EXTREME CONDITIONS.

#10-13 X 1"  
FASTEN 12" O.C.



2 BEADS OF CONTINUOUS SEALANT ON DRIP



SUBJECT: LOCKING EAVE FLASHING


**System 2**

DATE: 8-28-00

REV: 2-1-06

DRAWING  
NO.

**3**



SUBJECT: HI - EAVE FLASHING


**System 2**

DATE: 8-28-00

REV: 2-1-06

DRAWING  
NO.

**4**



SUBJECT: RAKE— GABLE FLASHING


**System 2**

DATE: 8-28-00

REV: 2-1-06

DRAWING  
NO.

**5**



SUBJECT: RIDGE—HIP COVER


**System 2**

DATE: 8-28-00

REV: 2-1-06

DRAWING  
NO.

**6**



SUBJECT: VENTED RIDGE CAP

**System 2**


DATE: 1-12-01

REV: 2-1-06

DRAWING  
NO.

**7**






SUBJECT: FLOATING VALLEY

**System 2**

DATE: 8-28-00

REV: 2-1-06

DRAWING  
NO.  
**8**



SUBJECT: PITCHBREAK FLASHING


**System 2**

DATE: 8-28-00

REV: 2-1-06

DRAWING  
NO.

**9**



SUBJECT: ROOF TO WALL FLASHING

**System 2**

DATE: 8-28-00

REV: 2-1-06

DRAWING  
NO.

**10**